

PROCEEDINGS OF 177th MEETING OF THE ERC-NCTE
HELD ON 18th NOVEMBER, 2014

The 177th Meeting of the Eastern Regional Committee (ERC), National Council for Teacher Education (NCTE) was convened on 18th November, 2014 at Conference Hall, ERC, NCTE, 15, Neelakantha Nagar, Nayapalli, Bhubaneswar. The Chairperson, Members and Convener as listed below were present at the time of the 177th ERC Meeting.

Prof.(Dr.) P.C. Mahapatra	- Chairperson
Prof. Brajanath Kundu	- Member
Prof. Manik Bhattacharjee	- State representative Govt. of West Bengal
Shri. I.K. Chettri	- State representative of Sikkim
Shri Dharendra Nath Ojha	- State representative of Jharkhand
Dr. Rukhono Iralu	- State representative of Nagaland
Dr. Minakshi Panda	- State representative of Odisha
Shri Prakash Ch. Baruah	- State representative of Assam
Shri Chandrapida Neelap	- Regional Director, ERC & Convener.

At the outset, the Regional Director welcomed all the members of Committee and apprised them about the provisions of the NCTE Act, Rules, Regulations and Guidelines issued from time to time. With the permission of Chairperson, Shri Chandrapida Neelap (Convener) presented the Agenda before the Committee for its due consideration and appropriate decision.

Sl. No.	Item No.	Content
ER-177.1	Confirmation of the Proceedings of 176th ERC meeting, 9th October, 2014 at Bhubaneswar.	
	Confirmed	
	The committee unanimously decided that the institution may reply in response to the decision of the committee uploaded on the ERC website without waiting formal letters from the office of ERC. The replies so received will also be considered by the committee.	
ER-177.2(ii)	Court Case: Inspection conducted by the NCTE Hqrs. U/S 13 on the basis of direction given by the Hon'ble High Court of Jharkhand.	
1.	177.2(ii).1	Sahibganj College, Sahibganj, Jharkhand-816109 (B.Ed.) (S.K.M. University) (Code No. APE00434)
A Public Interest Litigation vide W.P. (PIL) No. 327 of 2011 has been filed by Shiv Shankar Munda - Vs - Chairperson NCTE & Ors in the Hon'ble High Court of Jharkhand at Ranchi. As per direction of the Hon'ble High Court of Jharkhand, the said institution was inspected by the NCTE Hqrs., New Delhi under section 13 of the NCTE Act 1993 and Rule 8 of NCTE Rules. Accordingly, Show cause notice u/s 17(1) was issued to the institution on 18.08.2014.		
In response to the show cause notice, the institution submitted its reply dt. 07.11.2014 to the ERC, NCTE, Bhubaneswar. The committee considered the report of the NCTE Hqrs as well as reply submitted by the institution, the matter was discussed in detail and observed that the institution is still deficient as stated under:		
<ul style="list-style-type: none"> (i) The institution is deficient in respect of both infrastructural and instructional facilities. (ii) As per VT report built up are for running B.Ed programme is only 2500 sq.ft. against the requirement of 1500 Sq. Mts. (16164 sq.ft.). (iii) The institution does not maintain the endowment and reserve funds in the manner prescribed by NCTE. (iv) The institution has violated the norms by not appointing a regular HOD, by appointing lecturers on contractual basis on a consolidated salary and by keeping teachers' position vacant. (v) The institution has not organized instructional programme effectively. 		
In view of the above, the committee decided as under:		
The committee concluded that the institution is running the B.Ed course violating the NCTE Norms and Regulation 2009. The committee, therefore, decided to withdraw the recognition of the institution for B.Ed course under Section 17(1) of the NCTE Act, 1993 from the academic session 2015-16.		

2.	177.2(ii).2	Anand Shankar Rotary B.Ed. College, Vill - Chainpur, PO - Chainpur, City - Daltonganj, Dist - Palamu, Jharkhand - 822101 (Course: B.Ed.) (Private) (Nilamber Pitamber University) (Code No. APE00964)
<p>A Public Interest Litigation vide W.P. (PIL) No. 327 of 2011 has been filed by Shiv Shankar Munda - Vs - Chairperson NCTE & Ors in the Hon'ble High Court of Jharkhand at Ranchi. As per direction of the Hon'ble High Court of Jharkhand, the said institution was inspected by the NCTE Hqrs., New Delhi under section 13 of the NCTE Act 1993 and Rule 8 of NCTE Rules. Accordingly, Show cause notice u/s 17(1) was issued to the institution on 18.08.2014.</p> <p>In response to the show cause notice, the institution submitted its reply dt. 14.10.2014 to the ERC, NCTE, Bhubaneswar. The committee considered the report of the NCTE Hqrs as well as reply submitted by the institution, the matter was discussed in detail and observed that the institution is still deficient as stated under:</p> <ul style="list-style-type: none"> (i) Staff room, common room for boys and girls, Principal room are not available. (ii) Multipurpose hall is 1430 Sq. ft only which is less than the required 2000 sq. ft. As per submitted. (iii) As per submitted faculty list part-time lecturer for fine Arts/Music and Physical Education is not qualified as per NCTE norms. <p>In view of the above, the committee decided as under: The committee concluded that the institution is running the B.Ed course violating the NCTE Norms and Regulation 2009. The committee, therefore, decided to withdraw the recognition of the institution for B.Ed course under Section 17(1) of the NCTE Act, 1993 from the academic session 2015-16.</p>		
3.	177.2(ii).3	Jyoti Prakash Mahila B.Ed. College, Plot No. 1497, 1486, Street No.01, Vill/PO- Chiyanki, Tehsil/Taluka- Chiyanki, City- Daltonganj, Dist.- Palamu, Jharkhand-822101 (B.Ed.) (Private) (Nilamber Pitamber University) (Code No.ERCAPP397)
<p>A Public Interest Litigation vide W.P. (PIL) No.327 of 2011 has been filed by Shiv Shankar Munda - Vs - Chairperson NCTE & Ors in the Hon'ble High Court of Jharkhand at Ranchi. As per direction of the Hon'ble High Court of Jharkhand, the said institution was inspected by the NCTE Hqrs., New Delhi under section 13 of the NCTE Act 1993 and Rule 8 of NCTE Rules. Accordingly, the ERC, NCTE issued a show cause notice dated 30.06.2014.</p> <p>In response to the show cause notice, the institution submitted its reply dated 08.11.2014 to the ERC, NCTE, Bhubaneswar. The committee considered the report of NCTE Hqrs as well as representation submitted by the institution, the matter was discussed in detail and observed that the institution has complied the deficiencies.</p> <p>In view of the above the committee decided as under: Recognition of the institution be continued.</p>		
4.	177.2(ii).4	Dr. S. Radhakrishnan Teachers' Training College, Plot No. 1024, 1032, 1033, 1034, 1035, Vill- Sukarigarha, Po-Lari, Tehsil/ Taluka- Ramgarh, City-Ramgarh, Dist- Hazaribagh, Jharkhand- 825101 (B.Ed.) (Private) (Vinoba Bhawe University) (Code No. ERCAPP569)
<p>A Public Interest Litigation vide W.P. (PIL) No.327 of 2011 has been filed by Shiv Shankar Munda - Vs - Chairperson NCTE & Ors in the Hon'ble High Court of Jharkhand at Ranchi. As per direction of the Hon'ble High Court of Jharkhand, the said institution was inspected by the NCTE Hqrs., New Delhi under section 13 of the NCTE Act 1993 and Rule 8 of NCTE Rules. Accordingly, the ERC, NCTE issued a show cause notice dated 30.06.2014.</p> <p>In response to the show cause notice, the institution submitted its reply dated 08.11.2014 to the ERC, NCTE, Bhubaneswar. The committee considered the report of NCTE Hqrs as well as representation submitted by the institution, the matter was discussed in detail and observed that the institution has complied the deficiencies.</p> <p>In view of the above the committee decided as under: Recognition of the institution be continued.</p>		

5.	177.2(ii).5	Santosh College of Teacher's Training Education, Centre for Bio-Informatics Campus, Balsiring, Po-Tupudana, Dist.-Ranchi, Jharkhand-834003 (B.Ed.) (Private) (Ranchi University) (Code No. APE00797)
<p>A Public Interest Litigation vide W.P. (PIL) No. 327 of 2011 has been filed by Shiv Shankar Munda - Vs - Chairperson NCTE & Ors in the Hon'ble High Court of Jharkhand at Ranchi. As per direction of the Hon'ble High Court of Jharkhand, the said institution was inspected by the NCTE Hqrs., New Delhi under section 13 of the NCTE Act 1993 and Rule 8 of NCTE Rules. Accordingly, Show cause notice u/s 17(1) was issued to the institution on 18.08.2014.</p> <p>In response to the show cause notice, the institution submitted its reply dt. 06.11.2014 to the ERC, NCTE, Bhubaneswar. The committee considered the report of the NCTE Hqrs as well as reply submitted by the institution, the matter was discussed in detail and observed that the institution is still deficient as stated under:</p> <ul style="list-style-type: none"> (i) The size of the Multipurpose hall is only 600 Sq. ft. as against the requirement of a minimum of 2000 Sq. ft. The institution has not submitted any documentary proof for enhancement the size of multipurpose hall. (ii) The institution is very deficient in respect of instructional facilities like Psychology resource centre, Science and Mathematics resource centre, Art and Craft resource centre, health and physical education resource centre, library etc. The institution has not submitted any documentary proof for developing of the above resource centers. (iii) The institution is not having lecturer in Mathematics, qualified Librarian and part-time lecturer in Physical Education. The institution has not submitted any documentary proof for appointment such faculty members/staff. <p>In view of the above, the committee decided as under: The committee concluded that the institution is running the B.Ed course violating the NCTE Norms and Regulation 2009. The committee, therefore, decided to withdraw the recognition of the institution for B.Ed course under Section 17(1) of the NCTE Act, 1993 from the academic session 2015-16.</p>		
ER-177.4		Appeal Case
6.	177.4.1	Bihar Board of Open Schooling & Examination, Plot No.- 141, Street No.- Nyay Nagar, PO - Mithapur, Tehsil/Taluka - Patna Sadar, Town/City - Patna, Dist - Patna, Bihar – 800001 (D.El.Ed.-Distance Mode) (Govt.) (Council of Boards of School Education) (Code No.ERCAPP2088)
<p>In response to the ERC's refusal order No. ERC/7-165.9.7/(D.El.Ed.-Distance Mode)/2013/22911 dtd 01.01.2014, the institution preferred an appeal on 26.02.2014 to NCTE Hqrs.</p> <p>The NCTE Hqrs. vide its order No. 89-80/2014-Appeal/11th Meeting-2014/A96001 dt. 15.10.2014, the Council decided to grant three months time, from the date of issue of appeal orders, to Bihar Board Open Schooling & Examination to seek necessary relaxation on land and built up area related norms and appeal before the Council for a final decision.</p> <p>The committee noted the decision of the Appeal Committee and decided as under: A copy of the Appeal Order may be forwarded to the institution.</p>		
7.	177.4.2	Madhusudan Mahto Teacher Training College, Plot No. 385, 387, 388, 389, Vill- Laudhia, PO/City- Chakradharpur, Tehsil- Chakradharpur, Dist.- Paschim Singhbhum, Jharkhand- 833102 (B.Ed.) (Private) (Kolhan University) (Code No. ERCAPP1141)
<p>In response to the ERC's refusal order No. ERC/7-167.6.25/B.Ed./2013/23232 dt. 17.01.2014, the institution preferred an appeal on 14.03.2014 to NCTE Hqrs.</p> <p>The NCTE Hqrs. vide its order No. 89-125/2014-Appeal/10th Meeting-2014/A94799 dt. 25.09.2014, the Council concluded to grant two months time from the date of issue of appeal orders to the appellant institution for selection, approval and submission of faculty list to the ERC. Till then refusal order issued on 17.01.2014 may be kept in abeyance.</p> <p>The committee noted the decision of the Appeal Committee and decided as under: Two months time be given to the institution to submit the reply of letter of intent u/c 7(9). File will be processed as per new Regulations.</p>		

ER-177.6		Reply to Deficiency (after VT) received from the institution
8.	177.6.1	District Institute of Education and Training (DIET), Khurda, Plot No.- 2578, 2584, Vill/PO/Town/ City – Khordha, Tehsil/Taluka – Khordha, Dist – Khordha, Khordha – 752055 (D.El.Ed.-Additional Intake) (Board of Secondary Education) (Code No.ERCAPP1877)
<p>The institution District Institute of Education and Training (DIET), Khurda, Plot No.- 2578, 2584, Vill/PO/Town/City – Khordha, Tehsil/Taluka – Khordha, Dist – Khordha, Khordha – 752055 (Code No. ERCAPP1877) was granted permission for conducting D.El.Ed course with an additional intake of 50, thus making the total annual intake of 100 students vide this Order No. 24170 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 169th Meeting held on 13-14 February 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 25346 dated 06.05.2014 on the following documents:-</p> <p>(i) Laboratories like psychology, ICT, language learning etc. are not available.</p> <p>(ii) As per essential data sheet, the size of multipurpose hall is 865.18 Sq. ft. which is less than the required 2000 Sq. ft. as per NCTE norms.</p> <p>(iii) Safe guard against fire hazard is not available.</p> <p>(iv) As per essential data sheet, Cllsrooms are only two whereas the requirements for additional intake in existing D.El.Ed Course is four having an area of 500 Sq. ft. each, as per NCTE norms.</p> <p>(v) The building plan submitted by the institution is not mentioned in the plot no, total area and built up area etc.</p> <p>(vi) Building completion certificate is not submitted.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 18.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the recognition of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisha.</p>		

9.	177.6.2	District Institute of Education & Training, Nayagarh, Rajsunakhala, Plot No.- 181, 182, 183, 184, 186, Vill/PO – Rajsunakhala, Tehsil/Taluka – Ranpur, Town/City – Rajsunakhala, Dist – Nayagarh, Odisha – 752065 (D.El.Ed. -Additional Intake) (Govt.) (Board of Secondary Education) (Code No.ERCAPP1872)
<p>The institution District Institute of Education & Training, Nayagarh, Rajsunakhala, Plot No.- 181, 182, 183, 184, 186, Vill/PO – Rajsunakhala, Tehsil/Taluka – Ranpur, Town/City – Rajsunakhala, Dist – Nayagarh, Odisha – 752065 (Code No. ERCAPP1872) was granted permission for conducting D.El.Ed course with an additional intake of 50, thus making the total annual intake of 100 students vide this Order No. 24228 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <ol style="list-style-type: none"> 1. All staff as per the norms and standards of NCTE is in place by February 2014. 2. There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE. <p>Further, the ERC in its 170th Meeting held on 28th Feb. & 1st March 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 25047 dated 23.04.2014 on the following documents:-</p> <ol style="list-style-type: none"> (i) Library is running without a permanent librarian. Catalogue systems are yet to be introduced. Reference reading facility is very poor. Research journals are limited in number. Reference books on education in English are inadequate. (ii) The number of faculty required for increasing additional intake is absent. Many teaching and non-teaching posts which are in existence are vacant. (iii) Though initiation of infrastructural development is about to start, the physical condition of class rooms are very poor and even unsafe for the students. (iv) As per essential data sheet, the built up area in the building is 1472.296 Sq. Mts. which is less than the required 2000 Sq. Mts. for additional intake of existing D.El.Ed Course as per NCTE norms. (v) As per essential data sheet, the size of multipurpose hall is 556.7 Sq. ft which is less than the required 2000 Sq. ft. as per NCTE norms. <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 20.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

10.	177.6.3	Govt. Secondary Training School, Athagarh, Plot No.- 1642, Street No.- Athagarh, Vill/PO- Athagarh, Tehsil/Taluka – Athagarh, Town/City – Athagarh, Dist – Cuttack, Odisha – 754029 (D.El.Ed – Additional Intake) (Govt.) (Board of Secondary Education) (Code No.ERCAPP1910)
<p>The institution viz. Govt. Secondary Training School, Athagarh, Plot No.- 1642, Street No.- Athagarh, Vill/PO- Athagarh, Tehsil/Taluka – Athagarh, Town/City – Athagarh, Dist – Cuttack, Odisha – 754029 (Code No. ERCAPP1910) was granted permission for conducting B.Ed course with an additional intake of 50, thus making the total annual intake of 100 students vide this Order No. 24183 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions (pg.77):-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 168th Meeting held on 30-31 January 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 25051 dated 23.04.2014 (pg. 80) on the following documents:-</p> <ol style="list-style-type: none"> (1) The institution has many rooms but only few rooms are utilized, others are empty. (2) Science lab was empty, all the apparatus are kept in almirah in store room. Science teacher is not interested to set the Science lab or use the apparatus. She is only permanent teacher in the institution but not qualified accordingly to NCTE norms. She is only B.Sc. B.Ed. (3) Art & Craft room is also not properly arranged, it seems that it is not used regularly. (4) Library is not in good condition, no reading facilities. (5) No field for sports. Institution is using the State stadium. (6) Almost all faculty members are not qualified accordingly to NCTE norms. Three teachers are on deputation. (7) No IT facilities provided. (8) No IT Hostel for girls, they stay in lodges in the village which is quite unsafe. The number of girl student is bigger than boys. (9) Cleanliness and proper maintenance lacking. (10) As per essential data sheet, the size of multipurpose hall is 216 Sq. ft. which is less than the required 2000 Sq. ft. as per NCTE norms. (11) Laboratories like psychology & language learning etc. are not available in the institution. (12) Building Completion Certificate is not available. <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 21.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisha.</p>		

11.	177.6.4	Dibakar Patnaik Institute of Advance Studies in Education, Berhampur, Plot No.- 284, Street No.- NH-5, Vill – Konisi Hata, PO- Honisi, Tehsil/Taluka – Konisi, Town/City – Berhampur, Dist – Ganjam, Odisha - 761008 (Course: B.Ed.-Addl. Intake) (Private) (Berhampur University) (Code No.ERCAPP1886)
-----	---------	--

The institution namely Dibakar Patnaik Institute of Advance Studies in Education, Berhampur, Plot No.- 284, Street No.- NH-5, Vill - Konisi Hata, PO- Honisi, Tehsil/Taluka – Konisi, Town/City – Berhampur, Dist – Ganjam, Odisha - 761008 (Code No. ERCAPP1886) was granted permission for conducting B.Ed course with an additional intake of 40, thus making the total annual intake of 100 students vide this Order No. 24223 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-

- (i) All staff as per the norms and standards of NCTE is in place by February 2014.
- (ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.

Further, the ERC in its 169th Meeting held on 13-14 February 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. **Accordingly, a deficiency letter to the institution was issued vide No. 25411 dated 08.05.2014 on the following grounds:-**

- (i) Psychology laboratory is not available.
- (ii) As per essential data sheet, the size of multipurpose hall is 874 Sq. ft. which is less than the required 200 Sq. ft. as per NCTE norms.
- (iii) The plot No., total area & built up area etc. are not mentioned in the building plan submitted by the institution.

In response to deficiencies pointed out after VT, the institution submitted its reply dated 23.07.2014. The committee considered the reply of the institution and observed as under:

1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer.
2. The institution is required to submit building completion certificate issued by a Govt Engineer.
3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates.

In view of the above, the committee decided as under:

Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisha.

12.	177.6.5	District Institute of Education and Training, Cuttack, Narasinghpur, Plot No. 2045, 2046, 2047, 2048, 2051, Street No. Jail Road, Vill- Paikapadapatna Narasinghpur, Po.- Narsinghpur, Tehsil/Taluka- Narsinghpur, Town/City- Narsinghpur, Dist- Cuttack, Odisha - 754031(Course: D.El.Ed.-Addl. Intake) (Govt.) (Board of Secondary Education) (Code No.ERCAPP1863)
<p>The institution namely District Institute of Education and Training, Cuttack, Narasinghpur, Plot No. 2045, 2046, 2047, 2048, 2051, Street No. Jail Road, Vill- Paikapadapatna Narasinghpur, Po.- Narsinghpur, Tehsil/Taluka- Narsinghpur, Town/City- Narsinghpur, Dist- Cuttack, Odisha - 754031 (Code No. ERCAPP1863) was granted permission for conducting D.El.Ed course with an additional intake of 50, thus making the total annual intake of 100 students vide this Order No. 24167 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:</p> <p>(iii) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(iv) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 168th Meeting held on 30th & 31st January, 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 25057 dated 24.04.2014 on the following documents:-</p> <p>(i) No sports ground but can be developed in a planned way because there is enough vacant space.</p> <p>(ii) Canteen is not in working condition.</p> <p>(iii) Old damaged structures is to be abolished.</p> <p>(iv) Asbestos wall is incomplete.</p> <p>(v) Boundary wall is incomplete.</p> <p>(vi) This huge campus is to be need watchmen's quarter, staff quarter, principal residence to make it safe.</p> <p>(vii) No P.T. teacher, no IT education facility.</p> <p>(viii) As per VTR, laboratories like psychology & language learning etc. are not available.</p> <p>(ix) As per essential data sheet, the built up area in the building is 1983 Sq. Mts. which is less than the required 2000 Sq. Mts. for additional intake of existing D.El.Ed. Course, as per NCTE norms.</p> <p>(x) As per essential data sheet, the size of multipurpose hall is 875 Sq. ft. which is less than the required 2000 Sq. ft. as per NCTE norms.</p> <p>(xi) The photocopy of building plan submitted is in piece meal of two parts, signed by Junior Engineer on 08.11.2012. However, the details of instructional and infrastructural area along with measurement of rooms is not indicated. Also plot No., total area & built up area etc. is not mentioned in the submitted plan.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 16.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisha.</p>		

13.	177.6.6	District Resource Centre, Deogarh, Plot No. 48, Street No. Purunagad, Vill- Sanabalipost, Po.- Purunagad, Tehsil/Taluka- Deogarh, Town/City- Deogarh, Dist- Deogarh (Deogarh), Odisha- 768119 (Course: D.El.Ed.-Addl. Intake) (Government) (Board of Secondary Education) (Code No.ERCAPP1869)
<p>The institution namely District Resource Centre, Deogarh, Plot No. 48, Street No. Purunagad, Vill- Sanabalipost, Po.- Purunagad, Tehsil/Taluka- Deogarh, Town/City- Deogarh, Dist- Deogarh (Deogarh), Odisha- 768119 (Code No. ERCAPP1869) was granted permission for conducting D.El.Ed course with an additional intake of 50, thus making the total annual intake of 100 students vide this order No. 24184 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 170th Meeting held on 28th Feb & 1st Mar, 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 25063 dated 24.02.2014 on the following documents:-</p> <p>(i) Applied for additional intake without having a additional building.</p> <p>(ii) New books should be purchased for additional intake.</p> <p>(iii) There is no boundary of the institution.</p> <p>(iv) The dimension of the multipurpose hall is 1100 Sq. ft. and that too without dias.</p> <p>(v) The audited report of accounts not done.</p> <p>(vi) For additional intake of the library accommodation needs to be increased.</p> <p>(vii) As per VTR, facilities for existing psychology lab for the requirement of additional intake is insufficient.</p> <p>(viii) As per essential data sheet, the size of classroom is 440 Sq. ft. (each) which is less than required as per NCTE norms.</p> <p>(ix) As per essential data sheet, the size of multipurpose hall is 1100 Sq. ft. which is less than the required 2000 Sq. ft. as per NCTE norms.</p> <p>(x) As per essential data sheet, the built up area in the building is 17953.76 Sq. ft. which is less than the required 2000 Sq. Mts. for additional intake of existing D.El.Ed. Course, as per NCTE norms.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 18.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

14.	177.6.7	Govt. Secondary Training School, Fakirpur, Plot No. 3800, 5786, 5787, 5788, 5789, Street No. Sapta Bazar, Vill/Po.- Fakirpur, Town/City- Anandapur, Dist- Keonjhar, Odisha - 758022 (Course: D.El.Ed.-Additional Intake) (Government) (Board of Secondary Education) (Code No.ERCAPP1911)
<p>The institution namely Govt. S.T. School, Fakirpur, Plot No. 3800, 5786, 5787, 5788, 5789, Street No. Sapta Bazar, Vill/Po.- Fakirpur, Town/City-Anandapur, Dist-Keonjhar, Odisha-758022 (Code No. ERCAPP1911) was granted permission for conducting D.El.Ed course with an additional intake of 50, thus making the total annual intake of 100 students vide this Order No. 24193 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <ul style="list-style-type: none"> (i) All staff as per the norms and standards of NCTE is in place by February 2014. (ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE. <p>Further, the ERC in its 168th Meeting held on 30th & 31st January, 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 25151 dated 28.04.2014 on the following documents:-</p> <ul style="list-style-type: none"> (i) There is no public address system and sound system in the multipurpose hall. (ii) Library books have not been computerised. (iii) As per VTR, the total built up area in the building is 717.05 Sq. Mts. which is less than the required 2000 Sq. Mts. for additional intake of existing D.El.Ed. Course, as per NCTE norms. (iv) The building completion certificate submitted by the institution is not issued by any Govt. Engineer. (v) As per essential data sheet, the size of multipurpose hall is 1000 Sq. ft. which is less than the required 2000 Sq. ft. as per NCTE Norms. (vi) Laboratories like psychology & language learning etc. are not available. (vii) As per VT report, classrooms are only two whereas the requirements for additional intake in existing D.El.Ed. course is four having an area of 500 Sq. ft. each. <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 18.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisha.</p>		

15.	177.6.8	Govt. Secondary Training School (Women), Bhubaneswar, Plot No.- 722, Street No.- Unti-6, Vill – Ganganagar, Po – Surya Nagar, Tehsil/Taluka – Bhubaneswar, Town/City – Bhubaneswar, Dist – Khordha, Odisha – 751001 (D.El.Ed – Additional Intake) (Government) (Board of Secondary Education) (Code No.- ERCAPP1892)
<p>The institution Govt. Secondary Training School (Women), Bhubaneswar, Plot No.- 722, Street No.- Unti-6, Vill – Ganganagar, Po – Surya Nagar, Tehsil/Taluka – Bhubaneswar, Town/City – Bhubaneswar, Dist – Khordha, Odisha – 751001 (Code No. ERCAPP1892) was granted permission for conducting D.El.Ed course with an additional intake of 50, thus making the total annual intake of 100 students vide this Order No. 24170 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <ol style="list-style-type: none"> 1. All staff as per the norms and standards of NCTE is in place by February 2014. 2. There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE. <p>Further, the ERC in its 168th Meeting held on 13-14 February 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 25281 dated 01.05.2014 on the following documents:-</p> <ol style="list-style-type: none"> (i) Land documents in favour of the institution is not available. (ii) Laboratories like science, psychology, educational technology and language learning etc. are not available. (iii) The number of classrooms and hall for addl. Intake are less. (iv) Psychology Resource Centre is not available. (v) Built up are (the building which is in possession of S.T. School) is much less than the requirement as per NCTE norms. (vi) Building plan is not submitted. (vii) Building completion certificate is not submitted. (viii) Safe guard against fire hazard is not available. (ix) As per essential data sheet, multipurpose hall is not available. (x) As per essential data sheet, the total built up area in the building is 474.64 Sq. Mts. which is less than required 2000 Sq.Mts. For additional intake of existing D.El.Ed. course, as per NCTE norms. (xi) As per essential data sheet, classrooms are only two whereas the requirements for additional intake in existing D.El.Ed. course is four having an area of 500 Sq. ft. each. <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 20.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

16.	177.6.9	Govt. Secondary Training School, Bhanjanagar, Plot No.153, 154, Street No.-Bhanjanagar Road, Vill/PO-Bhanjanagar, Tehsil/Taluka-Bhanjanagar, Town/City-Bhanjanagar, Dist-Ganjam, Odisha-761126 (D.El.Ed.-Addl.Intake) (Govt.) (Code No. ERCAPP1915)
<p>The institution namely Govt. Secondary Training School, Bhanjanagar, Plot No.153, 154, Street No.-Bhanjanagar Road, Vill/Po-Bhanjanagar, Tehsil/Taluka-Bhanjanagar, Town/City-Bhanjanagar, Dist-Ganjam, Odisha-761126 (Code No. ERCAPP1915) was granted permission for conducting D.El.Ed. Course with an additional intake of 50, thus making the total annual intake of 100 students vide this order No.24181 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 175th Meeting held on 09 September 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No.27384 dated 24.09.2014 on the following grounds:</p> <p>(i) Laboratories like psychology, educational technology and language learning etc. are not available.</p> <p>(ii) The institution has two classrooms only whereas four classrooms are required for additional intake in existing D.El.Ed. Course is four having an area of 500 Sq.ft. as per NCTE norms.</p> <p>(iii) The size of multipurpose hall is 1080 Sq. ft. which is less than the required 2000 Sq. ft. as per NCTE norms.</p> <p>(iv) The institution is required to submit the building plan duly approved by Govt./University Engineer mentioning the plot No.,total area & showing the extended built up area for the proposed additional intake of D.El.Ed. Course along with the details of different rooms with their measurement area etc.</p> <p>(v) The building of the institution needs to be renovated.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 17.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

17.	177.6.10	Anandpur Anchalika Training College, Fakirpur, Plot No.- 5475/7379 & 5476, Street No.- Ward No.- 09, Vill/PO – Fakirpur, Tehsil/Taluka – Anandapur, Town/City – Anandapur, Dist – Keonjhar, Odisha – 758022 (B.Ed. – Additional Intake) (Government) (North Orissa Univeristy) (Code No.- ERCAPP1849)
-----	----------	--

The institution Anandpur Anchalika Training College, Fakirpur, Plot No.- 5475/7379 & 5476, Street No.- Ward No.- 09, Vill/PO – Fakirpur, Tehsil/Taluka – Anandapur, Town/City – Anandapur, Dist – Keonjhar, Odisha – 758022 (Code No. ERCAPP1849) was granted permission for conducting B.Ed course with an additional intake of 50, thus making the total annual intake of 100 students vide this order No. 24219 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-

1. All staff as per the norms and standards of NCTE is in place by February 2014.
2. There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.

Further, the ERC in its 168th Meeting held on 30-31 January 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. **Accordingly a deficiency letter to the institution was issued vide No. 25309 dated 05.05.2014 on the following documents:-**

- (i) The public address system and sound system in the multipurpose hall are not available.
- (ii) As per essential data sheet, the built up area in the building is 685 Sq. Mts. which is less than the required 1500 Sq. Mts for one basic unit of B.Ed course, as per NCTE norms.
- (iii) As per essential data sheet, the size of multipurpose hall is 840 Sq. ft. which is less than the required 2000 Sq. ft. as per NCTE norms.

In response to deficiencies pointed out after VT, the institution submitted its reply dated 21.10.2014. The committee considered the reply of the institution and observed as under:

1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer.
2. The institution is required to submit building completion certificate issued by a Govt Engineer.
3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates.

In view of the above, the committee decided as under:

Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisha.

18.	177.6.11	Govt. Secondary Training School, Tudigadia, Plot No.- 156, Street No.- Khairakup, Vill – Praharajpur, PO – Tudigadia, Tehsil/Taluka – Khaira, Town/City – Tudigadia, Dist – Balasore, Odisha – 456047 (D.El.Ed – Addl. Intake) (Government) (Board of Secondary Education) (Code No.- ERCAPP1889)
<p>The institution Govt. Secondary Training School, Tudigadia, Plot No.- 156, Street No.- Khairakup, Vill – Praharajpur, PO – Tudigadia, Tehsil/Taluka – Khaira, Town/City – Tudigadia, Dist – Balasore, Odisha – 456047 (Code No. ERCAPP1889) was granted permission for conducting B.Ed course with an additional intake of 50, thus making the total annual intake of 100 students vide this order No. 24224 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 170th Meeting held on 28th Feb. & 1st March 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 25153 dated 28.04.2014 on the following documents:-</p> <p>(i) As per essential data sheet, the built up area in the building is 496.505 Sq. Mts. which is less than the required 2000 Sq. Mts. for additional intake of existing D.El.Ed Course, as per NCTE norms.</p> <p>(ii) As per essential data sheet, the size of multipurpose hall is 70 Sq. Mts. i.e. 735.48 Sq. ft. which is less than the required 2000 Sq. ft. as per NCTE norms.</p> <p>(iii) Building plan is not submitted.</p> <p>(iv) Building completion certificate is not submitted.</p> <p>(v) As per essential data sheet, classrooms are only three whereas the requirements for additional intake in existing D.El.Ed course is four having an area of 5000 Sq. ft. each. Out of three classrooms, the size of one classroom is 27 Sq. Mts. which is less than as per NCTE norms.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 21.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisha.</p>		

19.	177.6.12	Kabi Samrat Upendra Bhanj College of Teacher Education, Bhanjanagar, Plot No.- 321/1, Street No.- Ialsingh, Vill/PO- Bhanjanagar, Tehsil/Taluka – Bhanjanagar, Town/City – Bhanjanagar, Dist – Ganjam, Odisha – 761126 (B.Ed.-Additional Intake) (Berhampur University) (Code No.- ERCAPP1862)
<p>The institution Kabi Samrat Upendra Bhanj College of Teacher Education, Bhanjanagar, Plot No.- 321/1, Street No.- Ialsingh, Vill/PO- Bhanjanagar, Tehsil/Taluka – Bhanjanagar, Town/City – Bhanjanagar, Dist – Ganjam, Odisha – 761126 (Code No. ERCAPP1862) was granted permission for conducting B.Ed course with an additional intake of 28, thus making the total annual intake of 100 students vide this order No. 24233 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 169th Meeting held on 13-14 February 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 25044 dated 23.04.2014 on the following documents:-</p> <p>(i) Library room is very small in size. There is no space in the library between the shelves for free movement of students to locate books.</p> <p>(ii) There is no laboratory, Items of chemistry, physics, biology, psychology etc. are kept in one room in separate admirals.</p> <p>(iii) There is no fire safety measures.</p> <p>(iv) There is no RAM.</p> <p>(v) Only two faculty members – one regular reader and one contractual lecturer only are there. The reader is M.A., M.Phil only.</p> <p>(vi) There is no proper gate and boundary wall of the college.</p> <p>(vii) As per essential data sheet, classroom-1 is used as multipurpose hall. However multipurpose hall is not available in the institution.</p> <p>(viii) As per essential data sheet, the total built up area in the building is 1145 Sq. Mts which is less than the required 2000 Sq. Mts. For additional intake of existing B.Ed Course, as per NCTE norms.</p> <p>(ix) As per essential data sheet, the size of one classroom is 1319 Sq. ft. and another is 331 Sq. ft. However, the size of 2nd classroom is less than the required 500 Sq. ft. as per NCTE norms.</p> <p>(x) Building completion certificate is not available.</p> <p>(xi) NAAC certificate is not submitted.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 29.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisha.</p>		

ER-177.12(i)		Misc. Cases-(I)
20.	177.12(i).1	Rameshwar Singh Teacher Training College, Plot No. 145, 174, Street No. 01, Vill/PO-Pandey Parsawan, Tehsil/Taluka-Magadh Medical College, Dist.- Gaya, Bihar-823001 (B.Ed.) (Private) (Magadh University) (Code No. ERCAPP806)
<p>The Secretary of the Rameshwar Singh Teacher Training College vide letter dated 16.10.2014 has submitted particulars of the newly appointed mathematics teacher on the vacant post along with fresh faculty list duly approved by the Registrar of the Magadh University.</p> <p>The committee noted the new appointment of the mathematics lecturer.</p>		
21.	177.12(i).2	Tezpur University, Plot no. - 207, St.No. -Napaam, Vill/PO - Napaam, Tehsil/Taluka-Napaam, Town/City - Tezpur, Dist - Sonitpur - 784 028, Assam (Course - B.A. B.Ed. and B.Sc. D.Ed. 4 years Innovative Programmes) (Tezpur University) (Code No.ERCAPP2068)
<p>The NCTE Hqrs. vide its letter dated 07.08.2014 has informed the ERC, NCTE informed the decision taken by the Standing Committee on Innovative courses of the proposal submitted by the Tezpur University for B.A. B.Ed. and B.Sc. B.Ed. 4 years innovative programme. <i>The Standing Committee has approved the programme prospectively in principle with the following suggestions, which must be incorporated and ensured by the Regional Committee:-</i></p> <p style="padding-left: 40px;">1) <i>The School Experience component is required to be expanded to run through all the semesters to ensure close links between theory and field experience.</i></p> <p>The Registrar, Tezpur University vide letter dated 16.10.2014 has submitted the revised proposal of the integrated B.A., B.Sc./B.Ed programme.</p> <p>The committee considered the representation of Tezpur University and decided as under:</p> <p>The proposal be processed as per new Regulations.</p>		
22.	177.12(i).3	Union Christian Training College, PO - Berhampore, Dist - Murshidabad, West Bengal - 742 101, (B.P.Ed.) (University of Kalyani) (Code No.ERCAPE00518)
<p>As per Regulation 2009 under clause 8 (7) (iv): The society sponsoring the institution shall be required to transfer and vest the title of the land and building in the name of the institution within a period of six months from the date of issue of formal recognition order under sub-regulation (11) of Regulation 7. However, in case, the society fails to do so due to local laws or rules or bye-laws, it shall intimate in writing with documentary evidence, of its inability to do so. The Regional Office shall keep this information on record and place it before the Regional Committee for its approval.</p> <p>The institution was asked vide this office letter dated 24.06.2014 to submit the registered land document in favour of the institution.</p> <p>In response to this office letter dated 24.06.2014 the Principal, Union Christian Training College, Murshidabad, West Bengal vide its letter dated 22.07.2014 has stated that :</p> <p><i>“That the college was established in the year 1938 during the British rule. It has two courses (B.Ed. -00238) and B.P.Ed.-00518) after independence the Govt. declared the college as a Religious Linguistics Minority institution and 100% Govt. aided college. We are unable to submit the original registered land document of the Britishers of the year 1938. It may kindly noted that it is not possible for us to collect the Registered deed documents during the British rule (i.e. 1938).” However, the institution has submitted a document of B.L.R.O. regarding the possession land in the name of institution.</i></p> <p>In view of the above, the committee noted the possession of land in the name of the institution.</p>		

VOLUME-II

Sl. No.	Item No.	Content
ER-177.2(ii)		Court Case: Inspection conducted by the NCTE Hqrs. U/S 13 on the basis of direction given by the Hon'ble High Court of Jharkhand.
23.	177.2(ii).6	Jamini Kant B.Ed. College, Vill- Salboni-Lapadabar, Po- Bara-Khurshi, Via- Mahulia, Tehsil/Taluka-Ghatsila, Town/City- Ghatsila, Dist- East Singhbhum, Jharkhand – 832304 (B.Ed.) (Private) (Ranchi University) (Code No. APE00971)
<p>A Public Interest Litigation vide W.P. (PIL) No. 327 of 2011 has been filed by Shiv Shankar Munda – Vs - Chairperson NCTE & Ors in the Hon'ble High Court of Jharkhand at Ranchi. As per direction of the High Court of Jharkhand, the said institution was inspected by the NCTE Hqrs., New Delhi under section 13 of the NCTE Act 1993 and Rule 8 of NCTE Rules. The VT report was examined by the NCTE Hqrs and observed the following deficiencies:</p> <p>(1) The institution obtained recognition in 2013 after fulfilling all the prescribed norms relating to land, built up area, instructional facilities, staff. In fact, it was too early to conduct the special inspection of the institution.</p> <p>No reply received from the institution in response to deficiencies pointed out by the Arora committee.</p> <p>In view of the above, the committee decided as under: Last opportunity is given to the institution to submit the compliance of the above deficiencies within 30 days from the publication of minutes in the ERC website, failing which, the recognition of the institution will be withdrawn as per NCTE norms. A copy of the deficiency letter also to be sent to the institution.</p>		
24.	177.2(ii).7	Jamshedpur Cooperative College, Circuit House Area, Bistupur, Jamshedpur, Jharkhand-831001 (B.Ed.) (Constituent Unit) (Ranchi University) (Code No. APE00363)
<p>A Public Interest Litigation vide W.P. (PIL) No. 327 of 2011 has been filed by Shiv Shankar Munda – Vs - Chairperson NCTE & Ors in the Hon'ble High Court of Jharkhand at Ranchi. As per direction of the High Court of Jharkhand, the said institution was inspected by the NCTE Hqrs., New Delhi under section 13 of the NCTE Act 1993 and Rule 8 of NCTE Rules. Accordingly, the NCTE Hqrs issued a deficiency letter No. 93-50/2014/NCTE/Insp./A86385 dated 30.04.2014 to the institution. The VT report was examined by the NCTE Hqrs and observed the following deficiencies:</p> <p>(i) The institution fulfils the prescribed norms regarding infrastructural and instructional facilities. (ii) The institution maintains the endowment and reserve funds in joint accounts with Regional Director, ERC. (iii) The institution fulfils the norms regarding engagement of staff but the service conditions offered to the staff are not proper. The salaries paid to the staff are low in comparison to many private colleges in the State. They are not as per State rule or UGC norms.</p> <p>In response to deficiency letter, the institution did not submit its reply within the stipulated period.</p> <p>In view of the above, the committee decided as under: Last opportunity is given to the institution to submit the compliance of the above deficiencies within 30 days from the publication of minutes in the ERC website, failing which, the recognition of the institution will be withdrawn as per NCTE norms. A copy of this letter be forwarded to the State Govt as well as the Registrar of the concerned university.</p>		

25.	177.2(ii).8	Government Teachers Training College (College of Teacher Education), Ranchi, Jharkhand-834001 (B.Ed.) (Govt.) (Ranchi University) (File No. JH-S/N-6/2001)
<p>A Public Interest Litigation vide W.P. (PIL) No. 327 of 2011 has been filed by Shiv Shankar Munda – Vs - Chairperson NCTE & Ors in the Hon'ble High Court of Jharkhand at Ranchi. As per direction of the High Court of Jharkhand, the said institution was inspected on 27.09.2013 by the NCTE Hqrs., New Delhi under section 13 of the NCTE Act 1993 and Rule 8 of NCTE Rules, 1997 as amended from time to time. The NCTE Hqrs. sent a letter to the institution intimating the deficiency with direction to submit the reply to the Regional Director, ERC. NCTE, Bhubaneswar and endorsed a copy to the ERC, NCTE vide letter No. 93-50/2014/NCTE/Insp./A86385 dated 30.04.2014. The VT Report was examined by the NCTE Hqrs. and observed the following deficiencies :-</p> <ol style="list-style-type: none"> (1) The institution is deficient in respect of both infrastructural and instructional facilities. (2) The institution has violated the norms regarding appointment of HOD and academic staff on regular basis and in regular pay scale. (3) The institution is not maintaining FDRs towards endowment fund and reserve fund jointly with the Regional Director ERC, Bhubaneswar. <p>No reply received from the institution in response to the deficiency letter/SCN so far.</p> <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies within 30 days from the publication of minutes in the ERC website, failing which, the recognition of the institution will be withdrawn as per NCTE norms. A copy of this letter be forwarded to the State Govt as well as the Registrar of the concerned university.</p>		
26.	177.2(ii).9	Jamshedpur Women's College, Vill/Po-Bistupur, Tehsil/Taluka- Bistupur, Town/City-Jamshedpur, Dist.- Purba Singhbhum, Jharkhand –831037 (B.Ed.) (Private) (Kolhan University) (Code No. APE00410 & ERCAPP1021)
<p>A Public Interest Litigation vide W.P. (PIL) No. 327 of 2011 has been filed by Shiv Shankar Munda – Vs - Chairperson NCTE & Ors in the Hon'ble High Court of Jharkhand at Ranchi. As per direction of the High Court of Jharkhand, the said institution was inspected on 27.09.2013 by the NCTE Hqrs., New Delhi under section 13 of the NCTE Act 1993 and Rule 8 of NCTE Rules, 1997 as amended from time to time. The VT Report was examined by the NCTE Hqrs. and observed the following deficiencies:-</p> <ol style="list-style-type: none"> (i) The institution has not adhered to the prescribed norms regarding maintenance of separate endowment and reserve funds in respect of the B.Ed. and M.Ed. programmes. (ii) The institution has adhered to the prescribed norms for the engagement of qualified staff but it does not fulfill the norms regarding service conditions of the staff. <p>The institution had failed to submit the reply in response to deficiencies pointed out by the NCTE Hqrs. as per the direction of the Hon'ble High Court of Jharkhand. The matter was placed before the ERC in its 172nd Meeting held on 17th June 2014 and as decided by ERC, show cause notice u/s 17 to the institution was issued vide No. 26594 dated 30.06.2014</p> <p>No reply received from the institution in response to deficiency/SCN so far.</p> <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies within 30 days from the publication of minutes in the ERC website, failing which, the recognition of the institution will be withdrawn as per NCTE norms. A copy of this letter be forwarded to the State Govt as well as the Registrar of the concerned university.</p>		

27.	177.2(ii).10	Kumaresh International B.Ed. College, Plot No. 772, 279, 298, 299, 576, Vill/Po- Rajwadiah, Tehsil/Taluka- Medininagar, Town/City-Medininagar, Dist-Palamu, Jharkhand-822101 (B.Ed.) (Private) (Nilamber Pitamber University) (Code No. ERCAPP176)
<p>A Public Interest Litigation vide W.P. (PIL) No.327 of 2011 has been filed by Shiv Shankar Munda - Vs - Chairperson NCTE & Ors in the Hon'ble High Court of Jharkhand at Ranchi. As per direction of the Hon'ble High Court of Jharkhand, the said institution was inspected by the NCTE Hqrs., New Delhi under section 13 of the NCTE Act 1993 and Rule 8 of NCTE Rules. Accordingly, the ERC, NCTE issued a show cause notice dated 14.11.2014.</p> <p>In response to the show cause notice, the institution submitted its reply dated 12.11.2014 (on the basis of information through website) to the ERC, NCTE, Bhubaneswar. The committee considered the report of NCTE Hqrs as well as representation submitted by the institution, the matter was discussed in detail and observed that the institution has complied the deficiencies.</p> <p>In view of the above the committee decided as under: Recognition of the institution be continued.</p>		
ER-177.4		Appeal Case
28.	177.4.3	Khalisani Basanti Teachers Academy, Plot No.-673/A, Vill.-Baganbati, P.O.-Khalisani, Tehsil/Taluka-Singur, Town/City-Chandannagar, Dist.-Hooghly, West Bengal-712138 (D.El.Ed)(Private)(West Bengal Board of Primary Education) (Code No. ERCAPP1441)
<p>In response to the ERC's refusal order No. ERC/7-163.7.4/ERCAPP1441/2013/22026 dated 28.11.2013 (Pg.344), the institution preferred an appeal on 27.12.2013 to NCTE Hqrs.</p> <p>The NCTE Hqrs. vide its order F.No.89-781/2013 Appeal/6th Meeting-2014-A88409369 dated 29.05.2014, the council concluded that the ERC was justified in refusing recognition and therefore the appeal deserved to be rejected and the order of the ERC confirmed.</p> <p>The committee noted the decision of the Appeal Committee.</p>		
29.	177.4.4	Indian Academy of Teachers' Education, Kadambagachi, Ps – Barasat, Kolkata – 700 125 (Course – B.Ed.) (West Bengal State University) (Code No.ERCAPP1559)
<p>In response to the ERC refusal order dated 18.02.2014 the institution preferred an appeal dated 02.05.2014 to the NCTE Hqrs. under section 18 of the NCTE Act.</p> <p>The NCTE Hqrs. vide its order no. F.No.89-235/2014 Appeal/12th Meeting-2014 dated 15.10.2014 Remanded back the case to ERC with a direction to consider the reply of the appellant dt.27.01.2014 and take further action as per the Regulation.</p> <p>In view of the above, the committee considered the decision of the NCTE Hqrs and decided as under: Application of the institution be processed as per new regulation.</p>		

ER-177.6	Reply to Deficiency (after VT) received from the institution	
30.	177.6.13	DAV College of Teacher Education, Koraput, Plot No.-445, Street No.-Ashoknagar, Vill-Kumbha-II, Po/Town/City-Koraput, Tehsil / Taluka - Koraput, Dist-Koraput, Odisha-764020 (B.Ed.-Additional Intake) (Government) (Berhampur University) (Code No. ERCAPP1865)
<p>The institution District Institute of Education & Training, Nayagarh, Rajsunakhala, Plot No.- 181, 182, 183, 184, 186, Vill/PO – Rajsunakhala, Tehsil/Taluka – Ranpur, Town/City – Rajsunakhala, Dist – Nayagarh, Odisha – 752065 (Code No. ERCAPP1872) was granted permission for conducting D.El.Ed course with an additional intake of 50, thus making the total annual intake of 100 students vide this Order No. 24228 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <ol style="list-style-type: none"> 1. All staff as per the norms and standards of NCTE is in place by February 2014. 2. There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE. <p>Further, the ERC in its 168th Meeting held on 30-31 January 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 25383 dated 06.05.2014 on the following documents:</p> <ol style="list-style-type: none"> (i) The college has no boundary wall for safety purpose. (ii) Facilities for ICT Resource Centre for the trainees is not available. (iii) As per essential data sheet, the built up area in the building is 462.27 Sq.Mts. which is less than the required 1500 Sq. Mts. for one basis unit of B.Ed. course, as per NCTE norms. (iv) As per essential data sheet, multipurpose hall is not available. (v) As per undertaking dated 13.01.2014 submitted by the institution, the rest construction of the building having an area of 1200 Sq. Mts. is under construction. (vi) The institution has not submitted the building plan showing the plot No., total area & extended built up area for one basic unit of B.Ed. course, duly approved by any Govt. Engineer, as per NCTE norms. (vii) Building completion certificate is not submitted. (viii) NAAC certificate is not submitted. <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 30.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> (i) The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. (ii) The institution is required to submit building completion certificate issued by a Govt Engineer. (iii) The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

31.	177.6.14	College of Teacher Education, Rourkela, Plot No.132P, Street No.-Sector-21, Vill-Rourkela, Po/Town/City-Rourkela, Tehsil/Taluka-Rourkela, Dist-Sundargarh, Odisha-769001 (B.Ed.-Additional Intake) (Government) Sambalpur University) (Code No.ERCAPP1868)
<p>The institution namely College of Teacher Education, Rourkela, Plot No.132P, Street No.-Sector-21, Vill-Rourkela, Po/Town/City-Rourkela, Tehsil/Taluka-Rourkela, Dist-Sundargarh, Odisha-769001 (Code No. ERCAPP1868) was granted permission for conducting B.Ed course with an additional intake of 50, thus making the total annual intake of 100 students vide this order No.24222 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 168th Meeting held on 30-31 January 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 25342 dated 06.05.2014 on the following documents:</p> <p>(i) As per essential data sheet, the size of multipurpose has is 1417.4 Sq.ft. which is less than the required 2000 Sq. Ft. as per NCTE norms.</p> <p>(ii) As per essential data sheet, the built up area in the building is 11390.146 Sq.ft which is less than the required 1500 Sq. Mts. For one basic unit of B.Ed. course, as per NCTE norms.</p> <p>(iii) NAAC certificate is not submitted.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 29.09.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

32.	177.6.15	College of Teacher Education, Bhawanipatna, Plot No.172/2, 185/2, Vill-Paramanandapur, Po/Town/City-Bhawanipatna, Tehsil/Taluka-Bhawanipatna, Dist-Kalahandi, Odisha-766001 (Government) (B.Ed.-Additional Intake) (Sambalpur University) (Code No. ERCAPP1850)
<p>The institution namely College of Teacher Education, Bhawanipatna, Plot No.172/2, 185/2, Vill-Paramanandapur, PO-Bhawanipatna, Tehsil/Taluka-Bhawanipatna, Dist-Kalahandi, Odisha-766001 (Code No. ERCAPP1850) was granted permission for conducting B.Ed. course with an additional intake of 50, thus making the total annual intake of 100 students vide this order No.24225 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 171st Meeting held on 3rd -4th June, 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 26403 dated 24.06.2014 on the following documents:</p> <p>(i) As per essential data sheet, the size of multipurpose has is 198.58 Sq.ft. which is less than the required 2000 Sq. ft. as per NCTE norms.</p> <p>(ii) As per essential data sheet, the built up area in the building is 867.91 Sq.mts which is less than the required 1500 Sq. Mts. for one basic unit of B.Ed. course, as per NCTE norms.</p> <p>(iii) Safe guard against fire hazard is not available.</p> <p>(iv) Separate cabins in staff room for faculty is not available.</p> <p>(v) The institution is required to submit the building plan duly approved by Govt. Engineer mentioning the plot No., total area & showing the extended built up area for the proposed additional intake of B.Ed. course in existing institution.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 28.08.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

33.	177.6.16	Secondary Training School, Bolangir, Plot No.833, 834, 835, Vill/Po/Town/City-Bolangir, Tehsil/Taluka-Bolangir, Dist.- Bolangir, Odisha-767001 (D.El.Ed.- Additional Intake) (Government) (Board of Secondary Education) (Code No. ERCAPP1900)
<p>The institution namely Secondary Training School, Bolangir, Plot No.833, 834, 835, Vill/Po/Town/City-Bolangir, Tehsil/Taluka-Bolangir, Dist.- Bolangir, Odisha-767001 (Code No. ERCAPP1900) was granted permission for conducting D.El.Ed. Course with an additional annual intake of 50 students thus making the total annual intake of 100 (one hundred) vide this order No.24206 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions :-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 170th Meeting held on 28th February & 1st March 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No.25135 dated 25.04.2014 on the following documents:</p> <p>(i) Laboratories like psychological resource centre, science and mathematics resources centre, arts & work experience resources centre and education technology etc. are not available in the institution.</p> <p>(ii) As per essential data sheet, the size of two classrooms are 375 sq.ft. (each) which is less than as per NCTE norms.</p> <p>(iii) As per essential data sheet, the built up area in the building is 375.75 sq.mts. which is less than the required 2000 Sq. Mts. for additional intake of existing D.El.Ed. Course, as per NCTE norms.</p> <p>(iv) Building completion certificate is not available.</p> <p>(v) Approved building plan is not available.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 24.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisha.</p>		

34.	177.6.17	Utkalmani Gopabandhu College of Teacher Education, Baripada, Mayurbhanj, Plot No.139/1, 144, 145, 150, Vill-Hemchandrapur, Po-Takatpur, Tehsil/Taluka-Baripada, Town/City-Baripada, Dist-Mayurbhanj, Odisha-757003 (B.Ed.-Addl.Intake) (Govt.) (North Orissa University) (Code No. ERCAPP1874)
<p>The institution namely Utkalmani Gopabandhu College of Teacher Education, Baripada, Mayurbhanj, Plot No.139/1, 144, 145, 150, Vill-Hemchandrapur, Po-Takatpur, Tehsil/Taluka-Baripada, Town/City-Baripada, Dist-Mayurbhanj, Odisha-757003 (Code No. ERCAPP1874) was granted permission for conducting B.Ed. Course with an additional intake of 50, thus making the total annual intake of 100 students vide this Order No.24215 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions :-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 168th Meeting held on 30-31 January 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No.25410 dated 08.05.2014 on the following documents:</p> <p>(i) Buildings are not maintained properly. There is no boundary wall. Also rooms are not in sufficient number for running training college.</p> <p>(ii) There is no canteen and cycle stand in the college campus.</p> <p>(iii) Facilities for reading room is not available.</p> <p>(iv) Laboratories like psychology, educational technology & language learning etc. are not available.</p> <p>(v) As per essential data sheet, the built up area in the building is 419.83 Sq.Mts which is less than the required 1500 Sq. Mts. for one basic unit of B.Ed. course, as per NCTE norms.</p> <p>(vi) As per essential data sheet, multipurpose hall is not available.</p> <p>(vii) Safe guard against fire hazard is not available.</p> <p>(viii) The building plan submitted by the institution is not mentioned in the plot No. total area & built up area etc.</p> <p>(ix) NAAC certificate is not submitted.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 27.09.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

35.	177.6.18	Government Secondary Training School (Women), Berhampur, Plot No.-967, Street No.Giri Road, Vill/Po- Berhampur, Tehsil/Taluka-Berhampur, Town/City-Berhampur, Dist-Ganjam, Odisha-760005 (D.El.Ed.-Additional Intake) (Government) (Board of Secondary Education) (Code No. ERCAPP1912)
<p>The institution namely Government Secondary Training School (Women), Berhampur, Plot No.-967, Street No.Giri Road, Vill/Po- Berhampur, Tehsil/Taluka-Berhampur, Town/City-Berhampur, Dist-Ganjam, Odisha-760005 (Code No. ERCAPP1912) was granted permission for conducting D.El.Ed. Course with an additional annual intake of 50 students thus making the total annual intake of 100 (one hundred) vide this order No. 24191 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 169th Meeting held on 13th -14th February 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No.25061 dated 24.04.2014 on the following documents:</p> <p>(i) The institution has not constructed additional class room for additional intake.</p> <p>(ii) The institution has not provided psychology lab, computer lab, language lab and ICT lab.</p> <p>(iii) Teaching facilities of art and craft, music, work experience and IT literacy are not.</p> <p>(iv) As per essential data sheet, the size of multipurpose hall is 215.285 Sq.ft. which is less than required 2000 Sq.ft. as per NCTE norms.</p> <p>(v) As per essential data sheet, the size of classrooms are 215.28 Sq.ft.(each) which is less than the required as per NCTE norms.</p> <p>(vi) As per essential data sheet, the built up area in the building is 738 Sq.Mts. which is less than the required 2000 Sq. Mts. For additional intake of existing D.El.Ed. Course as per NCTE norms.</p> <p>(vii) Submitted photocopy of building plan showing the two class rooms only, which is signed by Junior Engineer, Asst. Engineer and Executive Engineer on 17.08.2013. However, the plot no, total area & showing the extended built up area along with details of infrastructure & instructional areas of other rooms are not indicated in the submitted plan.</p> <p>(viii) Building completion certificate is not available.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 20.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

36.	177.6.19	Government Secondary Training School, Baripada, Plot No.445/835, 456/836, 466, 468/837, Street No.-Ward No.-3, Vill-Forest Colony Sahi, Po/Town/City-Baripada, Tehsil/Taluka-Baripada, Dist-Mayurbhanj, Odisha-757001 (D.El.Ed.-Additional Intake) (Government) (Board of Secondary Education) (Code No. ERCAPP1901)
<p>The institution namely Government Secondary Training School, Baripada, Plot No.445/835, 456/836, 466, 468/837, Street No.-Ward No.-3, Vill-Forest Colony Sahi, Po/Town/City-Baripada, Tehsil/Taluka-Baripada, Dist-Mayurbhanj, Odisha-757001 (Code No. ERCAPP1901) was granted permission for conducting D.El.Ed. Course with an additional annual intake of 50 students thus making the total annual intake of 100 (one hundred) vide this order No.24192 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 168th Meeting held on 30th -31st January 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No.25056 dated 24.04.2014 on the following documents:</p> <p>(i) The institution is the mid of the town so there is no space for play ground.</p> <p>(ii) Laboratories like psychology & language learning etc are not available.</p> <p>(iii) As per essential data sheet, the size of multipurpose hall is 1377.79 Sq.ft. which is less than the required 2000 Sq. ft. as per the NCTE norms.</p> <p>(iv) As per essential data sheet, the total built up area in the building is 1936.29 Sq. Mts., which is less than the required 2000 Sq. Mts. as per NCTE norms.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 07.08.2014 & 18.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

37.	177.6.20	District Institution of Education and Training (DIET), Jajpur, Dolipur, Plot No. 2, 3, 4, 5, 6, Vill/Po-Naguan, Tehsil/Taluka - Vyasaganar, Town/City-Jajpur Road, Dist.- Jajpur, Odisha – 755019 (D.El.Ed.-Additional Intake) (Government) (Board of Secondary Education) (Code No. ERCAPP1873)
<p>The institution namely District Institution of Education and Training (DIET), Jajpur, Dolipur, Plot No. 2, 3, 4, 5, 6, Vill/Po-Naguan, Tehsil/Taluka - Vyasaganar, Town/City-Jajpur Road, Dist.- Jajpur, Odisha – 755019 (Code No.APP1873) was granted permission for conducting D.El.Ed. Course with an additional annual intake of 50 students thus making the total annual intake of 100 (one hundred) vide this Order No.24221 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions :-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 168th Meeting held on 30th – 31st January 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No.25344 dated 06.05.2014 on the following documents:</p> <p>(i) Facilities for language learning laboratory is not available.</p> <p>(ii) As per essential data sheet, multipurpose hall is not available.</p> <p>(iii) As per essential data sheet, classrooms are only two whereas the requirements for additional intake in existing D.El.Ed. Course is four having area of 500 Sq. Ft. each, as per NCTE norms.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 06.08.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisha.</p>		

38.	177.6.21	District Institute of Education and Training (DIET), Kandhamal, Tikabali, Plot No.666, 667, Street No. Tikabali, Vill/PO-Tikabali, Tehsil/Taluka-Tikabali, Town/City-Tikabali, Dist-Kandhamal, Odisha-762010 (D.El.Ed.-Addl.Intake) (Govt.) (Board of Secondary Education) (Code No.ERCAPP1855)
<p>The institution namely District Institute of Education and Training (DIET), Kandhamal, Tikabali, Plot No.666, 667, Street No. Tikabali, Vill/PO-Tikabali, Tehsil/Taluka-Tikabali, Town/City-Tikabali, Dist-Kandhamal, Odisha-762010 (Code No. ERCAPP1855) was granted permission for conducting D.El.Ed. Course with an additional intake of 50, thus making the total annual intake of 100 students vide this Order No.24173 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <ul style="list-style-type: none"> (i) All staff as per the norms and standards of NCTE is in place by February 2014. (ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE. <p>Further, the ERC in its 175th Meeting held on 9th September 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No.27341 dated 22.09.2014 on the following documents:</p> <ul style="list-style-type: none"> (i) Psychology laboratory is not available. (ii) The institution is required to submit the building plan duly approved by Govt./University Engineer mentioning the plot No., total area & showing the extended built up area for the proposed additional intake of D.El.Ed. Course in existing institution along with the details of different rooms with their measurement area. (iii) Building completion certificate is not submitted by the institution. (iv) The two class rooms to accommodate the additional intake of 50 yet to be constructed. (v) ICT lab required computers and adequate space. <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 18.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

39.	177.6.22	Nabakrushna Choudhury College of Teacher Education, Angul, Street No.- Hakim Para, Vill/Po/Town/City- Angul, Tehsil/Taluka - Angul, Dist - Angul, Odisha- 759122 (B.Ed.-Additional Intake) (Government) (Utkal University) (Code No. ERCAPP1857)
<p>The institution namely Nabakrushna Choudhury College of Teacher Education, Angul, Street No.- Hakim Para, Vill/Po/Town/City- Angul, Tehsil/Taluka - Angul, Dist - Angul, Odisha- 759122 (Code No. ERCAPP1857) was granted permission for conducting B.Ed. Course with an additional annual intake of 100 students thus making the total annual intake of 200 (two hundred) vide this order No. 24230 dated 24.02.2014 from the academic session 2014-2015 subject to fulfilling the following conditions:-</p> <p>(i) All staff as per the norms and standards of NCTE is in place by February 2014.</p> <p>(ii) There is an adequate budgetary allocation in the budget of the State Government for the year 2014-15, for provision of requisite infrastructure as per the norms and standards of NCTE.</p> <p>Further, the ERC in its 169th Meeting held on 13-14 February 2014 considered the VT Report, which decides that the deficiency pointed out by the VT Member be communicated to the institution to fulfil all the requirement as per NCTE norms by December 2014. Accordingly a deficiency letter to the institution was issued vide No. 27840 dated 18.11.2014 on the following documents:</p> <p>(i) Separate cabins in staff room for faculty is not available.</p> <p>(ii) The institution is required to submit the building plan duly approved by Govt./University Engineer mentioning the plot No., total area & showing the extended built up area for the proposed additional intake of B.Ed. Course along with the details of different rooms with their measurement area etc.</p> <p>(iii) Building completion certificate is not submitted by the institution.</p> <p>(iv) NAAC certificate is not submitted.</p> <p>(v) Laboratories like psychology, science, multipurpose hall and seminar hall etc. are not according to NCTE norms.</p> <p>In response to deficiencies pointed out after VT, the institution submitted its reply dated 17.10.2014. The committee considered the reply of the institution and observed as under:</p> <ol style="list-style-type: none"> 1. The institution is required to submit a fresh blue print of building plan duly approved by a Govt Engineer. 2. The institution is required to submit building completion certificate issued by a Govt Engineer. 3. The institution is required to submit a fresh faculty list in the prescribed proforma duly approved by the competent authority alongwith their educational/professional certificates. <p>In view of the above, the committee decided as under:</p> <p>Last opportunity is given to the institution to submit the compliance of the above deficiencies latest by 31st December 2014 as the last date of relaxation given by the NCTE Hqrs is 31st Dec 2014, failing which, the permission for additional intake of the institution will be withdrawn as per NCTE norms. A copy of this letter may be endorsed to the State Govt and Director, SCERT Odisa.</p>		

ER-177.12(i)		Misc. Cases-(I)												
40.	177.12(i).4	<p>File No.ERC/06-2/OR/2011</p> <p>The Commissioner-cum-Secretary to Govt., Government of Odisha, School and Mass Education Department has submitted a notification vide letter dated 27th September 2014.</p>												
<p>The Commissioner-cum-Secretary to Govt., Government of Odisha, School and Mass Education Department has submitted a notification vide letter dated 27th September 2014 has informed the following as under :</p> <p>“... to ensure access to good quality teacher education facilities for rural and remote areas and facilitate the entry of talented persons particularly persons from SC, ST and Minority concentration areas into the teaching profession, the State Govt. have now decided to establish following 04 Block Institute of Education and Training (BITE) by upgrading the existing Teacher Training Institutions.</p> <table border="1" data-bbox="290 645 1439 936"> <tbody> <tr> <td>1</td> <td>Govt. S.T. School, Grumahisani</td> <td>Block Instite of Education & Training, Gorumahisani, Mayurbhanj.</td> </tr> <tr> <td>2</td> <td>Govt. S.T. School, Kuanrmunda</td> <td>Block Instite of Education & Training, Kuanrmunda, Sundargarh.</td> </tr> <tr> <td>2</td> <td>Govt. S.T. School, Gunupur</td> <td>Block Instite of Education & Training, Gunupur, Rayagada.</td> </tr> <tr> <td>3</td> <td>Govt. S.T. School, Umorkote</td> <td>Block Instite of Education & Training, Umorkote, Nabarangapur.</td> </tr> </tbody> </table> <p>In view of the above, the committee decided as under: Change of the name of the institutions is accepted. School and Mass Education Department, Govt of Orissa be requested to submit a formal request to change the name of the institutions.</p>			1	Govt. S.T. School, Grumahisani	Block Instite of Education & Training, Gorumahisani, Mayurbhanj.	2	Govt. S.T. School, Kuanrmunda	Block Instite of Education & Training, Kuanrmunda, Sundargarh.	2	Govt. S.T. School, Gunupur	Block Instite of Education & Training, Gunupur, Rayagada.	3	Govt. S.T. School, Umorkote	Block Instite of Education & Training, Umorkote, Nabarangapur.
1	Govt. S.T. School, Grumahisani	Block Instite of Education & Training, Gorumahisani, Mayurbhanj.												
2	Govt. S.T. School, Kuanrmunda	Block Instite of Education & Training, Kuanrmunda, Sundargarh.												
2	Govt. S.T. School, Gunupur	Block Instite of Education & Training, Gunupur, Rayagada.												
3	Govt. S.T. School, Umorkote	Block Instite of Education & Training, Umorkote, Nabarangapur.												
41.	177.12(i).5	<p>Prof Qoumrul Hoque School of Education University of Science and Technology, Plot No.-52, St. No.-101, Vill.-Baridua, P.O.-Killing Centre, Tehsil/Taluka-Ri Bhoi, Town/City-Techno City, Dist.-Ri Bhoi, Meghalaya-793101, (B.Ed.) (University of Science & Technology) (Code No.ERCAPP45/2012)</p>												
<p>As per Regulation 2009 under clause 8 (7) (iv): The society sponsoring the institution shall be required to transfer and vest the title of the land and building in the name of the institution within a period of six months from the date of issue of formal recognition order under sub-regulation (11) of Regulation 7. However, in case, the society fails to do so due to local laws or rules or bye-laws, it shall intimate in writing with documentary evidence, of its inability to do so. The Regional Office shall keep this information on record and place it before the Regional Committee for its approval.</p> <p>The institution was asked vide this office letter dated 29.05.2014 to transfer the land in favour of the institution.</p> <p>In response to this office letter dated 29.05.2014 the Registrar, University of Science & Technology, Meghalaya vide its letter dated 15.07.2014 has stated that :</p> <p>“Since the land is in name of the Trust i.e. Education Research & Development Foundation (ERDF) and the institution Prof. Qoumrul Hoque School of Education is a constituent part of the University of Science and Technology, Meghalaya therefore as per prevailing local land transfer procedure the said land could not be transferred in the name of the institution as the land has been already transferred in the name of EFDF to set up educational institution. That the state of Meghalaya being a tribal state under Six Schedules of the constitution of India, the land transfer must be in contravention with the local rules and regulation.”</p> <p>The Committee noted the possession of the land.</p>														

42.	177.12(i).6	Central University of Jharkhand, Vill- Cheri/Manatu, Po- Bukru, Tehsil-Kanke (Gonda), Town/City-Ranchi, Dist.-Ranchi, Jharkhand-834006 (Govt.) (Course: 4 year Integrated B.A. B.Ed. and B.Sc. B.Ed.)
<p>The NCTE Hqrs. vide its letter dated 07.08.2014 has informed the ERC, NCTE about the decision taken by the Standing Committee on Innovative courses of the proposal submitted by the Central University of Jharkhand for B.A. B.Ed. and B.Sc. B.Ed. 4 years innovative programme. <i>The Standing Committee has made the following observations:</i></p> <p>The Standing Committee has approved the programme prospectively in principle with the following suggestions, which must be incorporated and ensured by the Regional Committee:-</p> <ol style="list-style-type: none"> 1. The integration of content, pedagogy and school experience needs to be concurrent across all semesters to strengthen theory field linkages. 2. The sequence in organization of courses may be revised to ensure some foundation courses precede the related pedagogical courses. 3. The social and linguistic concerns of the State need to be appropriately included. <p>The Registrar, Central University of Jharkhand vide letter dated 27.10.2014 has submitted the revised proposal of the integrated B.A., B.Sc./B.Ed programme.</p> <p>The committee considered the representation of University of Jharkhand and decided as under:</p> <p>The proposal be processed as per new Regulations.</p>		
43.	177.12(i).7	Rameshwar Laxmi Mahto Teachers' Training College, Plot No.- 175 (Old), 1113 (New), Vill – Mirzapur, Po/Town/City – Rosera, Tehsil/Taluka – Rosera, Dist – Samastipur, Bihar – 848210 (B.Ed) (Private) (L.N.Mithila University) (Code No.- ERCAPP838)
<p>The Secretary of the Rameshwar Laxmi Mahto Teachers' Training College vide letter dated 10.11.2014 has submitted particulars of the newly appointed English teacher on the vacant post along with fresh faculty list duly approved by the Registrar of the Magadh University.</p> <p>The committee noted the new appointment of the English lecturer.</p>		
ER-177.12(ii)		Misc. Case (II)
44.	177.12(ii).1	Gangapada Memorial Institute of D.Ed., Plot No.-228,229, Vill-Bagmara, Po- D/Paraspur, Tehsil/Taluka-Jalangi, West Bengal, Dist-Murshidabad (WB), Pin-742306 (Course: D.El.Ed.) (Private) (W.B.B.P.E) (Code No.APP509)
<p>A Complaint letter dtd.13.02.2014 forwarded by NCTE Hqrs vide letter dated 07/10/2014 which is received from Sh. Golam Mohiuddin, Advocate, Chamber: 8 Old post office street, 2nd Floor, Mezzanine, Kolkata - 700 001 on behalf of Shri Minnal Biswas, son of Mainuddin Biswas, Village - Dayarampur, Po.- Jalangi, Dist- Murshidabad, West Bengal regarding prayer for cancellation of recognition granted by the National Council for Teacher Education, Eastern Regional and Affiliation granted by the West Bengal Board of Primary Education in favour of Gangapada Memorial Institute of D.Ed. allegedly situated at Mouza-Dayarampur, J.L. No.16, L.R.Khatian No.1404, Plot Nos.228 and 229, P.S.- Jalangi, Dist-Murshidabad, West Bengal.</p> <p>In view of the above, the committee decided as under:</p> <p>A copy of the complaint may be forwarded to the District Magistrate of concerned District with a request to direct the concerned officers for conducting an inspection of the institution and submit a report to the ERC NCTE within 30 days so that necessary action could be taken against the institution.</p>		

45.	177.12(ii).2	Baluchar Primary Teachers Training Institute, Vill - Goljarbagh, PO - Jiaganj, Dist - Murshidabad, West Bengal – 742 123(Course: D.El.Ed.)(Management: Private) (W.B.B.P.E) (Code No.APE00624)
<p>A copy of the complaint 12.02.2013 and 31.03.2013 received from All India Trinmool Congress, Jiaganj Block, West Bengal against the Baluchar Primary Teachers Training Institute.</p> <p>As per decision of 152nd ERC meeting, a copy of the complaint was forwarded vide ERC letter 05.06.2013 to the Secretary West Bengal Board of Primary Education with a request to inquire the matter in detail and submit the report to ERC, NCTE within 30 days.</p> <p>In response to the ERC letter, the Secretary of West Bengal Board of Primary Education vide letter dated 17.09.2013 stated that the enquiry team headed by the undersigned had enquired of the complainants regarding they stand by their complaints and whether they had any supporting documents to substantiate their complaints. As for the statements made by the complainants without any supporting documents on 06.09.2013 and afterwards, the enquiry team thinks that all the complaints are baseless and unsubstantiated. The Secretary of WBBPE submitted its report of inspection conducted on 17.09.2013 & 18.09.2013.</p> <p>The District Magistrate of Murshidabad also submitted its report vide Memo No. 939-C/BB dated 13.09.2012.</p> <p>In view of the above, the committee decided as under:</p> <p>The complaint be dropped and a copy of the reports of Secretary, West Bengal Board of Primary Education and report of the District Magistrate of Murshidabad may be forwarded to the NCTE Hqrs for perusal and further necessary action.</p>		

The meeting ended with vote of thanks.